

DECLARATION OF PERFORMANCE
Rigips
SAINT-GOBAIN

No.: VARIO_H_Fugen_und_Flaechenspachtel_LE_2201

- (1) *Unique identification code of the product-type*
VARIO H Fugen- und Flächenspachtel
- (2) *Intended use/es*
**Jointing material for plasterboards
4B (EN 13963)**
- (3) *Manufacturer*
**Saint-Gobain Rigips GmbH
Schanzenstr. 84
D-40549 Düsseldorf**
- (4) *Authorised representative*
N/A
- (5) *System/s of AVCP*
**System 3 for reaction to fire
System 4 for all other properties**
- (6a) *Harmonised standard*
EN 13963:2005/AC:2006
- Notified body/ies*
**Prüfinstitut für das Brandverhalten von Bauprodukten Dipl.-Ing. (FH) Andreas
Hoch (1508)**
- (6b) *European Assessment Document*
N/A
- European Technical Assessment*
N/A
- Technical Assessment Body*
N/A
- Notified body/ies*
N/A



(7) Declared performance/s


Essential characteristics	Performance
Reaction to fire (R2F)	A1
Flexural strength	NPD
Dangerous substances	NPD

(8) Appropriate Technical Documentation and/or Specific Technical Documentation
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 15. March 2022


Raimund Heini, Managing Director


Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

CE	
Saint-Gobain Rigips GmbH Schanzenstr. 84 D-40549 Düsseldorf	
13	
VARIO_H_Fugen_und_Flaechenspachtel_LE_2201	
EN 13963:2005/AC:2006	
Jointing material for plasterboards 4B (EN 13963)	
Reaction to fire (R2F)	A1
Flexural strength	NPD
Dangerous substances	NPD

