

## DECLARATION OF PERFORMANCE

No.: Rigips\_Deckenprofilverbinder\_C3\_hoch\_LE\_2504

(1) *Unique identification code of the product-type*  
**Rigips\_Deckenprofilverbinder\_C3\_hoch\_LE\_2504**

(2) *Intended use/es*  
**Suspended ceiling substructure component for indoor use in buildings  
Suspension component (EN 13964)**

(3) *Manufacturer*  
**SAINT-GOBAIN RIGIPS GmbH  
Willstätterstraße 60  
D-40549 Düsseldorf**

(4) *Authorised representative*  
**N/A**

(5) *System/s of AVCP*  
**System 4**

(6a) *Harmonised standard*  
**EN 13964:2014**

*Notified body/ies*  
**N/A**

(6b) *European Assessment Document*  
**N/A**

*European Technical Assessment*  
**N/A**

*Technical Assessment Body*  
**N/A**

*Notified body/ies*  
**N/A**

(7) Declared performance/s

Essential characteristics	Performance
Reaction to fire	A1
Load bearing capacity	NPD
Resistance to fasteners	NPD
Durability	D

(8) Appropriate Technical Documentation and/or Specific Technical Documentation  
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 05. November 2025



Cordula Gudduschat, Managing Director



Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

The above Declaration of Performance is valid for the following products:

**Rigips Deckenprofilverbinder C3-hoch**

Template for the CE marking to be affixed to the product:

<b>CE</b>	
<b>SAINT-GOBAIN RIGIPS GmbH</b> Willstätterstraße 60 D-40549 Düsseldorf	
14	
<b>Rigips_Deckenprofilverbinder_C3_hoch_LE_2504</b>	
<b>EN 13964:2014</b> <b>Suspended ceiling substructure component for indoor</b> <b>use in buildings</b> <b>Suspension component (EN 13964)</b>	
Reaction to fire	A1
Durability	D