

## DECLARATION OF PERFORMANCE

No.: VARIO\_impraegniert\_LE\_2504

(1) *Unique identification code of the product-type*  
**VARIO\_impraegniert\_LE\_2504**

(2) *Intended use/es*  
**Jointing material for plasterboards  
4B (EN 13963)**

(3) *Manufacturer*  
**SAINT-GOBAIN RIGIPS GmbH  
Willstätterstraße 60  
D-40549 Düsseldorf**

(4) *Authorised representative*  
**N/A**

(5) *System/s of AVCP*  
**System 3 for reaction to fire  
System 4 for all other properties**

(6a) *Harmonised standard*  
**EN 13963:2005/AC:2006**

*Notified body/ies*

**Prüfinstitut für das Brandverhalten von Bauprodukten Dipl.-Ing. (FH) Andreas Hoch (1508)**

(6b) *European Assessment Document*  
**N/A**

*European Technical Assessment*  
**N/A**

*Technical Assessment Body*  
**N/A**

*Notified body/ies*  
**N/A**

(7) Declared performance/s

Essential characteristics	Performance
Reaction to fire (for unprotected installation situations)	A1
Flexural strength	NPD

(8) Appropriate Technical Documentation and/or Specific Technical Documentation  
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 05. November 2025



---

Cordula Gudduschat, Managing Director



---

Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

The above Declaration of Performance is valid for the following products:

**VARIO imprägniert**

Template for the CE marking to be affixed to the product:

<b>CE</b>	
<b>SAINT-GOBAIN RIGIPS GmbH</b> Willstätterstraße 60 D-40549 Düsseldorf  13	
<b>VARIO_impraegniert_LE_2504</b> <b>EN 13963:2005/AC:2006</b>	
<b>Jointing material for plasterboards</b> <b>4B (EN 13963)</b>  1508	
Reaction to fire (for unprotected installation situations)	A1