

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Rigidur Estrichelemente MW (all types)

1.2 Relevant identified uses of the mixture and uses advised against

Uses of the substance/mixture: building material

1.3 Details of the supplier of the product information and processing instructions

Manufacturer/Supplier

SAINT-GOBAIN RIGIPS GmbH

Willstätterstraße 60

40549 Düsseldorf

Germany

National contact

SAINT-GOBAIN RIGIPS GmbH - Ladenburg Development Center – Gypsum Development

Am Hafen 20

68526 Ladenburg

Germany

Phone: +49 (0)621 - 4701691

Email: forschung-entwicklung@rigips.de

2 Hazard identification

2.1 Classification of the substance or mixture

Not classified according to regulation (EC) No. 1272/2008.

Nevertheless, please note this product information.

2.2 Label elements

No labelling according to regulation (EC) No. 1272/2008.

Hazard pictograms: Not applicable

Signal word: Not applicable

Hazard statements: Not applicable

2.3 Other hazards

None.

3 Composition / information on ingredients

Description: Article consisting of two with PVAC-glue bonded gypsum fiber boards (boards consisting of gypsum, paper fibers, mineral additives), laminated with a mineral fiber insulation board (lamination glue: PVAC-glue).

This product is to be considered as an article as per REACH-definition.

Articles are substances or preparations which feature a specific form, surface and shape which define their function to a larger extent than their chemical composition.

Hazardous ingredients

Not applicable. The products do not contain any SVHC or CMR substances (carcinogenic, mutagenic, reprotoxic substances) >0.1% (REACH regulation).

Ingredients with a specific exposure limit (see point 8)

Calcium sulphate

	Anhydrite	Hemihydrate	Dihydrate	
CAS no.	7778-18-9	10034-76-1	10101-41-4	13397-24-5
EC / List no.	231-900-3	600-067-1	600-148-1	603-783-2

REACH registration no.: 01-2119444918-26-XXXX

Rock mineral wool

CAS no.: -

EC / List-no.: 926-099-9

REACH registration no.: 01-2119472313-44-XXXX

EU index number: 650-016-00-2

Ingredient notes: 650-016-00-2 – Man made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na₂O+K₂O+CaO+MgO+BaO) content greater than 18 % by weight meeting the requirements of Note Q of regulation n° 1272/2008 and therefore not classified carcinogenicity.

Other ingredients

Thermoset, inert polymer based on cured phenol formaldehyde resin: 0 – 10 %

CAS number: -

4 First aid measures

4.1 Description of first aid measures

General information: No special measures required.

After inhalation: Remove from exposure. Supply fresh air. Rinse the throat and clear dust from airways. Consult doctor in case of complaints.

After skin contact: If mechanical irritation occurs, remove contaminated clothing and wash skin gently with cold water and soap.

After eye contact: Rinse opened eye for at least 15 minutes under running water. Consult doctor in case of complaints.

After swallowing: Rinse out mouth and then drink plenty of water. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

The mechanical effect of fibres in contact with skin may cause temporary itching.

4.3 Indication of any immediate medical attention and special treatment needed

If any adverse reaction or discomfort continues from any of the above exposures, seek professional medical advice.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions

For safety reasons unsuitable extinguishing agents: Full water jet.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Sulphur oxide

Trace gases such as ammonia, nitrogen oxides and volatile organic substances

Smoke

Product do not pose a fire hazard in use; however, some packaging materials or facings may be combustible.

5.3 Advice for firefighters

Protective equipment: Wear self-contained breathing apparatus for larger fires.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with eyes and skin.

6.2 Environmental precautions

Do not allow to enter to sewers/surface water or ground water.

6.3 Methods and material for containment and cleaning up

Avoid dust formation. Glass fibres: Pick up with a Hoover or moisten with spray mist before sweeping up.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

Avoid dust formation and moving the unpacked product. Do not inhale dust. Avoid skin contact. Only use saws or power tools with suitable extraction.

Information about fire and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Store at dry conditions.

Incompatible materials: None.

Storage class: LGK (according to VCI-Concept): 13 - non-combustible solids.

7.3 Specific end use(s)

Not applicable.

8 Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace (Occupational exposure limits)

Calcium sulphate all hydrate levels (CAS 7778-18-9, 10034-76-1, 10101-41-4, 13397-24-5):
MAK value: 4 mg/m³ E

Rock mineral wool: No substance-related occupational exposure limit value. Long-term exposure limit (8 hour TWA): WEL 2 fibres/ml 5 mg/m³ Machine-made mineral fibre (except for refractory ceramic fibres and special purpose fibres).

None at European level, refer to member state guidelines and legislation.

General dust limit value: TRGS 900: 10 mg/m³ E; 1.25 mg/m³ A

Note: A = alveolar fraction, E = inhalable fraction

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Personal protection equipment:

Respiratory protection: Wear dust mask FFP1 in accordance with EN 149 if dust develops.

Protection of hands: Gloves according to EN 388 against mechanical stress; use skin protection for sensitive skin.

Eye protection: Wear safety goggles with side protection in accordance with EN 166 especially if working above shoulders if dust develops.

Body protection: Protective working clothing. Cover exposed skin.

Hygiene measures: After contact, wash hands with cold water and soap.

9 Physical and chemical properties

9.1 Information in basis physical and chemical properties

General information:

Physical state:	Solid
Colour:	Multicoloured
Odour:	Odourless.
Odour threshold:	Not determined.
Melting point / melting range:	Not applicable
Boiling temperature/boiling range:	Not applicable
Flammability (solid, gaseous):	Not applicable
Lower explosion limit:	Not determined
Upper explosion limit:	Not determined
Flash point:	Not applicable
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not determined
pH-value:	Not applicable
Kinematic Viscosity:	Not applicable
Dynamic Viscosity:	Not applicable
Solubility in/Miscibility with water:	Not applicable
Partition coefficient (n-octanol/water):	Not applicable
Vapor pressure at 20°C:	Not applicable
Density:	Not applicable
Relative density:	Not determined
Bulk density:	Not applicable
Vapor density:	Not applicable

9.2 Other information

Form:	Board
Self-igniting:	Product is not self-igniting
Danger of explosion:	Product does not present an explosion hazard
Evaporation rate:	Not applicable

Thermal decomposition of gypsum

to CaSO₄ and H₂O at 140°C
to CaO and SO₃ at 1000°C

Thermal decomposition of mineral wool

Binder will decompose above 200°C.

10 Stability and Reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

Thermal decomposition/conditions to be avoided: Do not store above 40°C.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

None in normal conditions of use. Decomposition of binder above 200°C may produce carbon dioxide and some trace gases. The duration of release is dependent upon the thickness of the insulation, binder content and the temperature applied.

Note: Odour development possible with initial heating above approx. 150°C.

11 Toxicological information

11.1 Information on toxicological effects

General information:

Classification not applicable for this product; in accordance with European Regulation 1272/2008, note Q.

EUCEB & RAL:

Classification is not necessary for this product; the product complies with the requirements of EUCEB & RAL – see section 16

Acute toxicity:

Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met. The mechanical effect of fibres in contact with skin may cause temporary itching.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiration of skin sensitisation: Based on available data, the classification criteria are not met.

Additional toxicological information: Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bio accumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Additional ecological information:

Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

No further relevant information available.

13 Disposal considerations

13.1 Waste treatment methods

Recommendation: Disposal must be made according to official regulations.

European waste catalogue

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03.

Recommendation

The mentioned waste-classes are only an advice because according to EC-Law the waste-class must be defined by the origin of the waste. The correct waste code may differ and must be classified by the waste owner.

Attention: Observe local regulations and laws!

14 Transport information

14.1 UN number

ADR, IMDG, IATA: No dangerous goods, information not applicable.

14.2 UN proper shipping name

ADR, IMDG, IATA: No dangerous goods, information not applicable.

14.3 Transport hazard class(es)

ADR, IMDG, IATA: No dangerous goods, information not applicable.

14.4 Packing group

ADR, IMDG, IATA: No dangerous goods, information not applicable.

14.5 Environmental hazards

ADR, IMDG, IATA: No dangerous goods, information not applicable.

IMDG: Not marine pollutant.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC-Code

Not applicable.

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class (according to German law): WGK 1 - slightly water hazardous
(Classification according to VwVwS, Annex 4)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

16 Other information

List of relevant hazard statements: None.

Indication of changes: None.

Department issuing this information

SAINT-GOBAIN RIGIPS GmbH, Ladenburg Development Center, 68526 Ladenburg

Contact: See Section 1.

General information

The mineral wool fibres contained in this product are not classified and are EUCEB certified.

Further information

The information is based on our current state of knowledge.

It describes the product exclusively regarding safety requirements and does not constitute a guarantee of the properties of the product described.

They may not be changed or transferred to other products.

Abbreviations and acronyms

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
CMR:	Carcinogenic, mutagenic, reprotoxic substances
EINECS:	European Inventory of Existing Commercial Chemical Substances
EUCEB	European Certification Board of Mineral Wool Products
IMDG:	International Maritime Code for Dangerous Goods
IATA:	International Air Transport Association
MAK:	Maximale Arbeitsplatzkonzentration (Maximum workplace concentration) according to the list of the German Research Foundation (www.dfg.de/mak)
PBT:	Persistent, Bio accumulative and Toxic
vPvB:	very Persistent and very Bio accumulative

SVHC: Substances of Very High Concern (REACH)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances), Germany

