

**DECLARATION OF PERFORMANCE**

No.: RiStuck\_LE\_2207

(1) *Unique identification code of the product-type*  
**RiStuck**

(2) *Intended use/es*  
**Gypsum binder  
A (EN 13279-1)**

(3) *Manufacturer*  
**Saint-Gobain Rigips GmbH  
Schanzenstr. 84  
D-40549 Düsseldorf**

(4) *Authorised representative*  
**N/A**

(5) *System/s of AVCP*  
**System 4**

(6a) *Harmonised standard*  
**EN 13279-1:2008**

*Notified body/ies*  
**Internal**

(6b) *European Assessment Document*  
**N/A**

*European Technical Assessment*  
**N/A**

*Technical Assessment Body*  
**N/A**

*Notified body/ies*  
**N/A**

(7) Declared performance/s


Essential characteristics	Performance
<b>Reaction to fire (R2F)</b> (for unprotected installation situations)	<b>A1</b>
<b>Airborne sound insulation (R)</b>	<b>NPD</b>
<b>Thermal resistance (R)</b>	<b>NPD</b>

(8) Appropriate Technical Documentation and/or Specific Technical Documentation  
**N/A**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 01. July 2022




---

Raimund Heini, Managing Director




---

Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

<b>CE</b>	
<b>Saint-Gobain Rigips GmbH</b> Schanzenstr. 84 D-40549 Düsseldorf	
<b>13</b>	
<b>RiStuck_LE_2207</b> <b>EN 13279-1:2008</b>	
<b>Gypsum binder</b> <b>A (EN 13279-1)</b>	
Notified body/ies: N/A	
Reaction to fire (R2F) (for unprotected installation situations)	A1
Airborne sound insulation (R)	NPD
Thermal resistance (R)	NPD

