

Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Rimat 2000

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Rigips GmbH

Schanzenstraße 84

D-40549 Düsseldorf

Germany

Phone: +49 (0)211 5503 - 0 forschung-entwicklung@rigips.de

1.4 Emergency telephone number:

+49 (0)30 30686700 Charité Berlin, 24/7

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

calcium dihydroxide

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

(Contd. of page 1)

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Silicon dioxide (Quartz sand)	10-25%
	4.00/
	1-2%
♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3,	
X 11333	
	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335

SVHC Void

Additional information

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

FII



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Mouth respiratory protective device.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

(Contd. of page 3)

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 777	8-18-9 calcium sulphate	, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
Oral	Derived No Effect Level	1.52 mg/kgxday (consumer systemic long term value)
		11.4 mg/kgxday (consumer systemic short term value)
Inhalative Derived No Effect Level		21.17 mg/m³ (worker systemic long term value)
		5,082 mg/m³ (worker systemic short term value)
		5.29 mg/m³ (consumer systemic long term value)
		3,811 mg/m³ (consumer systemic short term value)
CAS: 130	5-62-0 calcium dihydrox	ride
Inhalative	Derived No Effect Level	4 mg/m³ (worker local short term value)
		1 mg/m³ (worker local long term value)
		1 mg/m³ (consumer local long term value)
		4 mg/m³ (consumer local short term value)
PNECs	<u> </u>	
CAS: 130	5-62-0 calcium dihydrox	ride
		9.32 mg/l (sea water rating factor)
		0.49 mg/l (fresh water rating factor)
CAS No	o. Designation of materi	al % Type Value Unit
CAS: 148	08-60-7 Silicon dioxide	(Quartz sand)
	ong-term value: 0.1* mg/i	m³
*	respirable fraction	
	5-62-0 calcium dihydrox	
	Short-term value: 4 mg/m³	
	ong-term value: 1 mg/m³	
	Respirable fraction	

Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz respirable dust (< 5 µm): 0,15 mg/m³

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves. **Eye protection:** Tightly sealed goggles

(Contd. on page 5)



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

Body protection: Protective work clothing.

(Contd. of page 4)

9.1 Information on basic physical and ober	mical proportios
9.1 Information on basic physical and cher General Information	nicai properties
Appearance:	
Form:	Powder
Colour:	Light grey
Odour:	Odourless
Odour threshold:	Not determined.
pH-value at 20 °C (68 °F):	>11.5
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density at 20 °C (68 °F):	2.24-2.96 g/cm³ (18.6928-24.7012 lbs/gal) (DI
5 1	51757)
Relative density	Not determined.
Vapour density Evaporation rate	Not applicable. Not applicable.
<u> </u>	ινοι αμμιιοανίο.
Solubility in / Miscibility with Water at 20 °C (68 °F):	~ 2 g/l
Segregation coefficient (n-octanol/water) lo	
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	0.0000.04
EU-VOC (%)	0.0000 %
EU-VOC (g/L)	0.0000 g/l
Solids content:	100.0 %



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

(Contd. of page 5)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Type Value Species	
CAS: 77	778-18	-9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)	
Oral	LD50	>2,000 mg/kg (Rat)	
		-0 calcium dihydroxide	
Oral	LD50	>2,000 mg/kg (Rat)	
Dermal	LD50	>2,500 mg/kg (Rabbit)	

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

(Contd. on page 7)



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

(Contd. of page 6) Type of test Effective concentration Method Assessment CAS: 7778-18-9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2) LC50/48h 79-1,970 mg/l (Daphnia magna) LC50/96h >79 mg/l (Oryzias latipes (Japanese medaka)) 79-2,980 mg/l (Fish) EC50/72h >79 mg/l (Selenastrum capricornutum (Green algae)) CAS: 1305-62-0 calcium dihydroxide LC50/96h 158 mg/l (Daphnia magna) >50.6 mg/l (Fish) 49.1 mg/l (Daphnia magna) EC50/48h 184.57 mg/l (Algae) EC50/72h

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Behaviour in sewage processing plants:

NOEC (14d) 32 mg/l (Daphnia magna)

Type of test Effective concentration Method Assessment
CAS: 7778-18-9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
EC 50 (3h) >1,000 mg/l (Activated sludge)
CAS: 1305-62-0 calcium dihydroxide
EC 50 (3h) 300.4 mg/l (Activated sludge)

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

17 01 07 mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06

(Contd. on page 8)



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

(Contd. of page 7)

17 08 02 gypsum-based construction materials other than those mentioned in 17 08 01

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

SECTION 14: Transport information	on
14.1 UN-Number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)



Printing date 08.07.2022 Version number 2 Revision: 22.02.2022

Trade name Rimat 2000

REGULATION (EU) 2019/1148

(Contd. of page 8)

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS: Ladenburg Development Center (LDC)

Contact:

Gypsum Development

+49 (0)621 4701 - 691

forschung-entwicklung@rigips.de

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.