



DECLARATION OF PERFORMANCE

No.: Rigips_Traverse_LE_0717

Product Type

EN 14190 : Gypsum board product from reprocessing made from gypsum fibre boards according EN 15283-2 for interior applications

Identification of the construction product

Rigips Traverse

Batch identification consists of the production printed on the pallet label

Intended use

Gypsum board from reprocessing: Recut gypsum fibre board for interior applications

Manufacturer

**Saint-Gobain Rigips GmbH
Schanzenstraße 84
D-40549 Düsseldorf**

Systems of assessment and verification of constancy of performance

System 4

The initial type testing according to EN 14190 was performed by the manufacturer. A factory production control system in compliance with EN ISO 9001 : 2008 adapted to EN 14190 is established to ensure that the construction products conform with the declared performance characteristics.

Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire (R2F)	A2-s1, d0 (C.2)	EN 14190
Shear strength ($\uparrow\downarrow$)	NPD	EN 14190
Flexural strength (F)	pass	EN 14190
Water vapour resistance factor (μ)	NPD	EN 14190
Thermal conductivity (λ)	NPD	EN 14190
Dangerous substances (DS)	NPD	EN 14190
Airborne sound insulation (R)	see system documentation of Saint-Gobain Rigips GmbH	EN 14190
Impact resistance ($\rightarrow I$)		
Acoustic absorption (α)		

The performance of the product for which this DoP has been issued is in conformity with the declared performance.
 This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Dr. Winfried Spickermann, Head of Product Development
 (name and function)

Ladenburg, 19.07.2017
 (place and date of issue) ppa.: W. Sp
 (signature)

Werner Hansmann, Managing Director
 (name and function)

Düsseldorf, 16.7.2017
 (place and date of issue) [Signature]
 (signature)